



TENSIONER/TERMINATOR

swaged

CATALOGUE



Swaged Tensioner

Product Code STAT.TENSR001

- For use on horizontal lifeline system.
- Suits 8mm cable.
- Rated at 50kN.
- Stainless steel construction.
- Requires a swaging machine.



Swaged Termination

Product Code STAT.TERMN001

- For use on horizontal lifeline system.
- Suits 8mm cable.
- Rated at 50kN.
- Stainless steel construction.
- Requires a swaging machine.



**FOR USE ON HORIZONTAL LIFELINES,
ALL PRODUCTS ON THIS PAGE REQUIRE
A SWAGING MACHINE.**



Version 01.17

SafetyLink Pty Ltd | ABN 83 081 777 371 | PO Box 88 | Hawks Nest NSW 2324 | Australia
Phone: 1300 789545 or +61 249 641068 | Fax: 1300 738071 or +61 249 641069
safetylink@heightsafety.com.au | www.heightsafety.com




LIFELINE SYSTEM LAYOUT

This is a guide only

All working at heights safety procedures must be complied with when installing SafetyLink height safety systems. For more information refer to your state or territories current legislation, regulations, policies and codes of practices.

Horizontal height safety lifelines must only be installed and used by competent people with relevant current height safety qualifications.



SAFETYLINK HEIGHT SAFETY SYSTEMS MUST ONLY BE INSTALLED AS PER OUR INSTALLATION GUIDES, TO STRUCTURES AS SPECIFIED IN THE INSTALLATION MANUAL FOR EACH PRODUCT. SHOULD ANY DOUBT EXIST IN REGARDS TO THE STRUCTURES INTEGRITY AN ENGINEER SHOULD BE CONSULTED.

Version 01.17

SafetyLink Pty Ltd | ABN 83 081 777 371 | PO Box 88 | Hawks Nest NSW 2324 | Australia

Phone: 1300 789545 or +61 249 641068 | Fax: 1300 738071 or +61 249 641069

safetylink@heightsafety.com.au | www.heightsafety.com



COPYRIGHT TERMS AND CONDITIONS

Copyright in the material contained on this disc/email belongs to SafetyLink Pty Ltd. You are authorised to reproduce this material subject to the following conditions:

1. No changes to the material may be made without SafetyLink Pty Ltd's prior written consent, which consent may be withheld, granted, or granted subject to conditions in SafetyLink Pty Ltd's discretion. Change includes any alteration, addition or deletion to the material or a part of the material that you reproduce.
2. You must ensure that any material you reproduce is marked "Copyright – SafetyLink Pty Ltd 2006".
3. Where you reproduce parts only of the material that must not cause the part reproduced to be misleading in any way or omit any important safety information.
4. You indemnify SafetyLink Pty Ltd against any claim arising out of your reproduction of the material on this disc/email or any part of it.
5. SafetyLink Pty Ltd can terminate this authority to reproduce this material on 7 day's notice in writing to you at your last known business address, for any reason. You must return this disc/email to SafetyLink Pty Ltd immediately after such a termination takes effect.

If you do not accept these conditions please return the disc/email to SafetyLink Pty Ltd. Your retention of the disc/email will otherwise be evidence of your acceptance of these conditions.

Patents

SafetyLink Pty Ltd has a multitude of patents, patents pending, design applications, trademarks and copyrighted documents both lodged and issued.

Should you wish to know the progress of our intellectual property on a specific product please email us on ip@heightsafety.com.au and quote the product code.



Anchor
Catalogue



Anchor
Installation Guide



Lifeline
Catalogue



Lifeline
Installation Guide



Ladder
Catalogue



Ladder
Installation Guide



FrogLink
Install Video



TileLink
Install Video



heightsafety.com
see website for
more videos &
information

Version 01.17

SafetyLink Pty Ltd | ABN 83 081 777 371 | PO Box 88 | Hawks Nest NSW 2324 | Australia

Phone: 1300 789545 or +61 249 641068 | Fax: 1300 738071 or +61 249 641069

safetylink@heightsafety.com.au | www.heightsafety.com